


The background of the entire page is a deep blue space scene featuring a bright, glowing greenish-yellow nebula or galaxy core. A thick, white diagonal line runs from the top-left corner towards the bottom-right, creating a sense of dynamic movement and depth.

GALAXY


METAL PRODUCTS LLC

HOLLOW METAL DOORS & FRAMES

PRODUCT CATALOG

DOORS


- HOT-DIP GALVANNEAL STEEL - READY FOR FINISH PAINT
- OPTIONAL UL LABEL SERVICE • OPTIONAL VISION LITE / LOUVER
- FULL FLUSH SEAMLESS FACES • INVERTED TOP AND BOTTOM CHANNELS
- INTERNAL CONSTRUCTION AVAILABLE AS HONEYCOMB OR RIB REINFORCED



Honeycomb core is securely bonded to tension levelled steel faces.

20 or 18 ga.


HONEYCOMB



Polystyrene core is securely bonded to tension levelled steel faces.

20 or 18 ga.

POLYSTYRENE



Steel rib stiffeners 6" on center to tension levelled steel faces. All voids filled with UL[®] approved fiberglass insulation.


18 or 16 ga.

RIB REINFORCED


STANDARD DOOR ELEVATIONS




FLUSH




VISION LITE




NARROW LITE



HALF GLASS



LOUVER



FULL GLASS

- Vision Lite Kits - Integral design with 1 removable glazing bead
- 1 1/2 Hour "B" Label - 100 square inches allowable glass
- 3/4 Hour "C" Label - 1296 square inches allowable glass
- Non Rated Louvers - Integral design (inverted "V" blades)
- Fire Rated Louvers - Fusible link type (supplied by Galaxy)

STANDARD STOCK SIZES			20 GAUGE				18 GAUGE		
WIDTH	2' - 0"	2' - 4"	2' - 6"	2' - 8"	2' - 10"	3' - 0"	3' - 0"	3' - 6"	4' - 0"
HEIGHT	6' - 8" OR 7' - 0"						HANDED ONLY		

STOCK DOORS ARE FLUSH - REVERSIBLE HAND
 Sizes other than those shown and handed doors are available.

HARDWARE PREPARATION - STOCK DOORS


Single Swing

4-1/2" x 4-1/2" Template Hinges
 161 Cylindrical Lock
 Closer Reinforcement


Inactive Leaf

4-1/2" x 4-1/2" Template Hinges
 4-7/8" ASA Strike Plate
 ASA Flushbolts
 Closer Reinforcement

- HOT-DIP GALVANNEAL STEEL - READY FOR FINISH PAINT
- MITERED CORNERS • SPECIALS • MASONRY AND DRYWALL
- OPTIONAL LABEL • AVAILABLE KNOCKDOWN OR WELDED




KNOCKDOWN
Pressure fit anchors
adjust for a rigid
installation.
Optional fire label
(Factory Mutual)



WELDED
Anchors for masonry
and drywall.
Optional sidelights.
Optional UL® fire label

STANDARD FRAME ELEVATIONS



JAMB - SIZES (Available from stock for immediate delivery)

	SINGLE SWING								PAIR SWING				
WIDTH	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"	3'-6"	3'-8"	4'-0"	4'-0"	5'-0"	6'-0"	7'-0"
HEIGHT	6'-8", 7'-0" OR 8'-0"												
THROAT	3-1/2"	3-3/4"	4-5/8"	4-7/8"	5-5/8"	6-1/8"	7-1/4"						

STOCK FRAMES ARE 3-SIDED - SINGLE SWING / PAIR SWING
Non-standard sizes are available

HARDWARE PREPARATION - STOCK FRAMES

Single Swing

4-1/2" x 4-1/2" Template Hinges
4-7/8" ASA Strike Plate
Hole Punched for Silencers
Closer Reinforcement


Pair Swing

4-1/2" x 4-1/2" Template Hinges
Closer Reinforcement

The Super Stud Building Products Family of Companies


PROFILES

STANDARD JAMB PROFILES - 2' TRIM




JAMB ANCHORS


DRYWALL



ZEE CLIP FOR STEEL STUD




STRAPS FOR WOOD STUD



ADJUSTABLE STRAPS W/WELDED YOKE
UL® APPROVED

MASONRY



PUNCH & DIMPLE
EXISTING MASONRY WALL
(3/8" EXPANSION BOLT BY OTHERS)


FLOOR ANCHORS

FIXED



WELD ON TYPE

ADJUSTABLE (Optional)



2-1/2" HEIGHT ADJUSTMENT





DOOR AND FRAME HAND CHART

How to determine hand of door and frame swing:
Hand all doors by standing outside on key side - facing door.

SINGLE DOORS

When door swings toward you and hinges are on right side of door:
Door is R.H.R / Frame is L.H.

When door swings to inside and hinges are on right side of door:
Door is R.H. / Frame is R.H.



Call Toll Free
1-800-294-8199

GALAXY
METAL PRODUCTS LLC

FRAME INSTALLATION PROCEDURES

OUR KNOCKDOWN PRESSURE FIT FRAMES SLIP OVER A ROUGH DRYWALL
OPENING AND, ONCE ADJUSTED, PROVIDE A RIGID INSTALLATION

ROUGH OPENING - DOOR WIDTH + 2"
- DOOR HEIGHT + 1"

1




UNFOLD BASE CLIPS
ON BOTTOM OF JAMB.

2




INSTALL HEADER.

3




INSTALL (1) JAMB LEG, BE
CERTAIN THAT TABS AND SLOTS
INTERLOCK. MAKE SURE BASE
CLIPS WRAP OUTSIDE OF WALL.

4




INSTALL OPPOSITE JAMB LEG,
LEVEL FRAME.

5



A. TIGHTEN PRESSURE CLIPS
COUNTERCLOCKWISE UNTIL SNUG.
B. SCREW ON BASE CLIP THROUGH
WALL INTO STUD
C. BEND OVER HEAD TABS.


6



READY TO INSTALL GALAXY
HOLLOW METAL DOOR


DOOR INSTALLATION PROCEDURES

1



PLACE DUTCHMAN PLATE
(3 PROVIDED) UNDER HINGE
OPPOSITE KNUCKLE

2




INSTALL BOTTOM HINGE ON
THE DOOR COMPLETELY TIGHT

3




INSTALL MIDDLE & TOP HINGE
ON THE DOOR. DO NOT SECURE
TIGHTLY AT THIS POINT.

4



INSTALL THE DOOR TO FRAME
BOTTOM FIRST. THE LOOSE
HINGES ALLOW YOU TO HAVE
MORE FLEXIBILITY OF
ADJUSTMENT.

5



TO ADJUST THE DOOR TOWARDS
OR AWAY FROM THE STRIKE
(IF NEEDED). CARDBOARD SHIMS
(USUALLY FROM THE HINGE BOX)
CAN BE ADDED BEHIND THE HINGE.

[illegible]

Whether you are looking for custom frames, doors, window walls or custom fabrication, Galaxy has you covered!

EMBOSSED RAISED PANEL DOORS

Galaxy's line of commercial hollow metal embossed raised panel doors provide a wide range of flexibility for your architectural needs. All doors are available in standard and high definition panels. Designs include 1,2,4 and 6 panel. Available in 20 and 18 gage galvaneal steel and are 1 3/4" thick. Custom sizes and hinge locations available.



**Stile & Rail
Door Assembly**

GALAXY GUARDIAN

The Perfect Fire Door For Your Apartment Complex!

STANDARD SPECIFICATIONS:

- *18 Gauge Face Material*
- *Door rated at STC 39*
- *7 Gauge Hinge Reinforcement*
- *16 Gauge Lock Reinforcement*
- *1-1/2 HR Rated VTEC
Label (ULIOC Test)
Rated up to 3'0"W x 7'6"H*
- *18 Gauge Top & Bottom Channel*
- *Seam Construction
(Seamless Available)*

**All One Panel Recessed Doors
Are Ready for Field Painting!**

SIZES AVAILABLE:

- *2/8 - 4/0 W • 6/8 - 8/0 H*
- *Highly Customizable*
- *Available with 45° or 90° Stops*
- *90° Stop, Optional Molding Applied*
- *2 Panel, 4 Panel & 6 Panel Available*

For More Information Call:

908.668.5200

GALAXY

METAL PRODUCTS LLC

2960 Woodbridge Ave.
Edison, New Jersey 08837
T: (908) 668-5200 F: (908) 668-5202
Toll Free 1-800-294-8199
www.galaxymetalproducts.com



GALAXY METAL PRODUCTS LLC

has a history as a **QUALITY** manufacturer of hollow metal doors and frames. We can supply "stock type" knockdown frames and economical honeycomb insulated doors to "custom" hollow metal doors and frames manufactured to architectural specifications and complex finished hardware requirements.

All our doors and frames are manufactured in compliance with Underwriters Laboratories, Factory Mutual, and Materials and Equipment Acceptance (MEA) of New York City.

Our sales and distribution services all of the Northeast, including the Baltimore and Washington, D.C. areas.

GALAXY CAN PROVIDE YOU WITH:

- Fast and Competitive pricing.
- Complete engineering service for the development of shop drawing submittals.
- The supply of finished hardware for your project.
- A field technician is available to assist you with all your on-site issues.

Galaxy's experienced Sales and Engineering Departments can provide technical support to guide you through any situation that may develop!

**VISIT US ON THE WEB AT:
galaxymetalproducts.com**

WARRANTIES AND LIMITATIONS

All products presented herein are warranted to be free from manufacturing defects in material and workmanship. Damages for the breach of this warranty and buyers sole remedy shall be the return of goods and the repayment of the price thereof or the replacement of such non-conforming goods at the sole option of the seller. Seller specifically excludes any liability for any consequential damages as a result of the non-conformance of the goods. This aforesaid warranty is exclusive to the direct purchaser from Galaxy Metal Products and is not assignable or transferable to any third party. This warranty is in lieu of and EXCLUDES ALL OTHER WARRANTIES NOT EXPRESSLY SET FORTH HEREIN, whether express, implied or by operation of the law. Specifically EXCLUDED ARE ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. All details, specifications and other details of the products herein described are merely intended as a general guide for the use of particular product(s) described and the use thereof is at the sole option of the purchaser and should be with the specific direction and evaluation of a design professional and the description is not intended as a recommendation for any use. Galaxy Metal Products denies any liability for damages resulting from the use of the details or specifications or improper application or installation of these products.

GOVERNING LAW

The parties of this sale hereby consent to the jurisdiction of the court of the State of New Jersey, located in the County of Middlesex. New jersey law shall apply in all such actions. The Statute of Limitations for any such action based upon an alleged breach shall be one (1) year from the date of delivery of the product, and no action may be maintained after said one (1) year.

**OUR CUSTOMER SERVICE
DEPARTMENT IS OPEN
FROM 7:00 AM TO 5:00 PM,
MONDAY - FRIDAY
TO SERVE YOU BETTER!**

GALAXY
METAL PRODUCTS LLC

2960 Woodbridge Ave.
Edison, New Jersey 08837
T: (908) 668-5200 F: (908) 668-5202
Toll Free 1-800-294-8199